

NOTES:

- INFORMATION SHOWN IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD BE USED AS GENERAL GUIDELINES IN THE PRELIMINARY PLANNING STAGES. PROJECT SPECIFIC DETAILS WILL BE PROVIDED BY THE ELEVATOR CONTRACTOR WHEN SELECTED.
- MINIMUM SIZE REQUIRED FOR 24"x84" STRETCHER.
- SIDE OPENING DOORS AS SHOWN REQUIRED FOR STRETCHER COMPLIANCE.


HOISTWAY PLAN

INGROUND
CAPACITY: 3500 LBS.
FRONT OPENING - LEFT HAND

DELAWARE
ELEVATOR
RELIABLE · RESPONSIVE · RESPECTED

2210 ALLEN DRIVE
 SALISBURY, MD 21801
 PH: (410) 749-3489
 www.DelawareElevator.com

DWG FILE	DATE	SHEET	REV
DEI-3500-IG	03/07/16	1 OF 1	-



NOTES:

- INFORMATION SHOWN IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD BE USED AS GENERAL GUIDELINES IN THE PRELIMINARY PLANNING STAGES. PROJECT SPECIFIC DETAILS WILL BE PROVIDED BY THE ELEVATOR CONTRACTOR WHEN SELECTED.
- MINIMUM SIZE REQUIRED FOR 24"x84" STRETCHER.
- SIDE OPENING DOORS AS SHOWN REQUIRED FOR STRETCHER COMPLIANCE.

HOISTWAY PLAN

INGROUND
CAPACITY: 3500 LBS.
FRONT OPENING - RIGHT HAND

DELAWARE
ELEVATOR
RELIABLE · RESPONSIVE · RESPECTED

2210 ALLEN DRIVE
 SALISBURY, MD 21801
 PH: (410) 749-3489
 www.DelawareElevator.com

DWG FILE	DATE	SHEET	REV
DEI-3500-IG	03/07/16	1 OF 1	-

SUMP PIT
(BY OTHERS)

EMERGENCY
CAR TOP EXIT
W/CONTACT SW.
(400 SQ.IN. MIN.)

PIT REFUGE AREA
24"x48"x24"H

C.O.P.

CAR LANTERN

SPRING BUFFERS

1'-9" 3'-6"Wx7'-0"H CLEAR OPNG. 1'-9"

2'-5" 3'-6"Wx7'-0"H CLEAR OPNG. 2'-5"

1'-9" 4'-10"Wx7'-8"H ROUGH OPNG. 1'-9"

6'-8" INSIDE CAB

7'-0" PLATFORM

4'-2"

4'-2"

8'-4" CLEAR HOISTWAY

⊕ CYLINDER & PLATFORM

HALL PUSH
BUTTON

5" DOOR SPACE

1" RUNNING CLEARANCE

6" WALL TO PLATFORM

RAIL BRACKET INSERT

5'-5" INSIDE CAB

3'-3 1/2"

3'-8 1/2"

3" CLEAR

6'-3" PLATFORM

7'-0" CLEAR HOISTWAY

⊕ CYLINDER & RAILS

NOTES:
• INFORMATION SHOWN IS
SUBJECT TO CHANGE WITHOUT
NOTICE AND SHOULD BE USED
AS GENERAL GUIDELINES IN THE
PRELIMINARY PLANNING STAGES.
PROJECT SPECIFIC DETAILS WILL
BE PROVIDED BY THE ELEVATOR
CONTRACTOR WHEN SELECTED.

HOISTWAY PLAN

INGROUND
CAPACITY: 3500 LBS.
FRONT OPENING - CENTER OPENING

DELAWARE
ELEVATOR
RELIABLE · RESPONSIVE · RESPECTED

2210 ALLEN DRIVE
SALISBURY, MD 21801
PH: (410) 749-3489
www.DelawareElevator.com

DWG FILE DEI-3500-IG	DATE 03/07/16	SHEET 1 OF 1	REV -
-------------------------	------------------	-----------------	----------